NORTHWESTERN	N UNIVERSITY
PROJECT NAME	

FOR:E - TURF AND NATIVE/ADAP

- B. Comply with most current edition of the
- 1.2 SUMMARY
 - A. Proviotavaihtyaban,dnsateciálsdahelreiqui

NORTHWESTERN UNIVERSITY	
PROJECT NAME	FOR:
JOB #	ISSUED: 03/29/2017

NORTHWESTERN UNIVERSITY	
PROJECT NAME	FOR:
JOB #	ISSU

NORTHWESTERN UNIVERSITY	
PROJECT NAME	FOR:
JOB #	ISSUED: 03/29/2017

3.4 SEEDING

A. Scheduling:

- 1. Within [30 days] [7 days] [24 hours] from the time the area was first disturbed.
- 2. Channel Banks: Within 24 hours from the time the area was first disturbed.
- 3. Seasonal Limitations:
 - a. [April 20] [May 1] through November 1.
 - b. Soil temperatures shall be between 50°F-65°F.

B. Sowing:

- 1. Sow the seed following or in conjunction with the fertilizer and while the seed bed is in a friable condition.
- 2. Do not sow seed through mulch.
- 3. Application Rate:
 - a. Lawns: Sow seed at a minimum rate of 100 pounds per acre.
 - b. Ditch Banks, Spoil Berms, and Other Areas: Sow seed a minimum rate of 56 pounds per acre.

C. Method:

- 1. Broadcast: Do not seed when wind velocity exceeds 5 miles per hour.
- 2. Mechanical drills.
- 3. Hydroseeder:
 - a. Use only equipment specifically designed for hydraulic seeding application.
 - b. Mix seed, fertilizer and pulverized mulch in water until uniformly blended into homogeneous slurry.
 - c. Continue mixing during application.
 - d. [Native seed must be applied with water only for direct seed-soil contact, not with pulverized mulch.]
 - e. [Apply pulverized mulch after native seed is applied.]

D. Inspection:

- 1. Visually inspect for uniform distribution.
- 2. Reseed areas as required to establish a uniform and stable stand of grass.
- E. Finishing: Incorporate seed into the upper 1/2-inch of soil.

3.5 MULCHING

A. Small Grain Mulch:

- 1. Application:
 - Immediately after seeding.
 - b. Uniform distribution.
 - c. Allow sunlight to penetrate mulch.

NORTHWESTERN UNIVERSITY	
PROJECT NAME	FOR:
JOB #	ISSUED: 03/29/2017

2. Application Rate:

- b.
- Two tons per acre (2-1/2 bales per 1000 square feet). Three tons per acre for dormant seeding.

 One ton per acre (1-1/4 bales per 1,000 square feet) for native seeding. c.

NORTHWESTERN UNIVERSITY	
PROJECT NAME	FOR:
JOB #	ISSUED: 03/29/2017

THIS PAGE IS INTENTIONALLY BLANK